

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Agar, Bacteriological	7178A	500 g
Solidifying agent for use in preparing microbiological culture media	7178B	2 kg
	7178C	10 kg
Agar, Purified	7412A	500 g
Solidifying agent for use in preparing microbiological culture media that is essentially free of extraneous materials, salts, and pigments	7412B	2 kg
	7412C	10 kg
Agar, Select	7558A	500 g
Solidifying agent for use in preparing microbiological culture media where extraneous matter, pigmented portions and salts have been reduced to a minimum	7558B	2 kg
	7558C	10 kg
Agar, Technical	7619A	500 g
Solidifying agent for use in preparing microbiological culture media where specifications include good clarity and relatively free of toxic inhibitors	7619B	2 kg
	7619C	10 kg
APT Agar	7302A	500 g
For the cultivation of heterofermentative lactobacilli	7302B	2 kg
	7302C	10 kg
Azide Dextrose Broth	7315A	500 g
For use in the detection of fecal streptococci in water, sewage and milk	7315B	2 kg
	7315C	10 kg
Bacillus Cereus Agar Base	7442A	500 g
For use with polymyxin B and egg yolk suspension for the isolation and presumptive identification of <i>Bacillus cereus</i>	7442B	2 kg
	7442C	10 kg
Baird Parker Agar	7112A	500 g
For the detection and enumeration of <i>Staphylococcus aureus</i> in foods	7112B	2 kg
	7112C	10 kg
Barney Miller Medium	7685A	500 g
For the detection of beer spoilage microorganisms	7685B	2 kg
	7685C	10 kg
BCYE Agar (Legionella Agar)	7307A	500 g
For the isolation of <i>Legionella</i> spp.	7307B	2 kg
	7307C	10 kg
Beef Extract Powder	7228A	500 g
Dehydrated extract of bovine tissue for use in preparing microbiological culture media (see page 20)	7228B	2 kg
	7228C	10 kg
Beta-SSA Agar	7336A	500 g
For use with blood for the selective isolation of group A streptococci	7336B	2 kg
	7336C	10 kg
BIGGY Agar	7191A	500 g
For the isolation and differentiation of <i>Candida</i> spp.	7191B	2 kg
	7191C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Bile Esculin Agar	7249A	500 g
For the selective isolation and differentiation of group D streptococci	7249B	2 kg
	7249C	10 kg
Bile Esculin Azide Agar	7133A	500 g
For the selective isolation and differentiation of group D streptococci	7133B	2 kg
	7133C	10 kg
Bile Salts Mixture #3	7230A	500 g
Mixture of bile salts for use in preparing microbiological culture media	7230B	2 kg
	7230C	10 kg
Bismuth Sulfite Agar	7113A	500 g
For the selective isolation of <i>Salmonella</i> spp.	7113B	2 kg
	7113C	10 kg
Blood Agar Base No. 2	7266A	500 g
For use with blood for the isolation and cultivation of a wide variety of fastidious microorganisms	7266B	2 kg
	7266C	10 kg
Blood Agar Base, Improved	7268A	500 g
For use with blood for the isolation and cultivation of a wide variety of fastidious microorganisms	7268B	2 kg
	7268C	10 kg
Brain-Heart Infusion Agar	7115A	500 g
For the cultivation of a wide variety of fastidious microorganisms	7115B	2 kg
	7115C	10 kg
Brain-Heart Infusion Broth	7116A	500 g
For the cultivation of a wide variety of fastidious microorganisms	7116B	2 kg
	7116C	10 kg
Brain-Heart Infusion Solids	7262A	500 g
Dehydrated infusion of porcine brains and hearts for use in preparing microbiological culture media	7262B	2 kg
	7262C	10 kg
Brilliant Green Agar	7117A	500 g
For the selective isolation of <i>Salmonella</i> spp.	7117B	2 kg
	7117C	10 kg
Brilliant Green Agar with Sulfadiazine	7310A	500 g
For the selective enrichment of <i>Salmonella</i> spp.	7310B	2 kg
	7310C	10 kg
Brilliant Green Agar with Sulfapyridine	7299A	500 g
For the selective enrichment of <i>Salmonella</i> spp.	7299B	2 kg
	7299C	10 kg
Brilliant Green Bile Broth 2%	7119A	500 g
For the detection of coliform bacteria in water, food and dairy products	7119B	2 kg
	7119C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Brilliant Green Bile Broth 2% with MUG For the detection of coliforms and the fluorogenic detection of <i>Escherichia coli</i>	7344A	500 g
	7344B	2 kg
	7344C	10 kg
Brucella Agar For the cultivation of <i>Brucella</i> spp. and other fastidious microorganisms	7120A	500 g
	7120B	2 kg
	7120C	10 kg
Brucella Broth For the cultivation of <i>Brucella</i> spp. and other fastidious microorganisms	7121A	500 g
	7121B	2 kg
	7121C	10 kg
Buffered Listeria Enrichment Broth For the selective enrichment of <i>Listeria</i> spp.	7579A	500 g
	7579B	2 kg
	7579C	10 kg
Buffered Listeria Enrichment Broth Base Used with supplements for the selective enrichment of <i>Listeria</i> spp.	7675A	500 g
	7675B	2 kg
	7675C	10 kg
Buffered Peptone Water For the non-selective pre-enrichment of <i>Salmonella</i> spp. from foods	7418A	500 g
	7418B	2 kg
	7418C	10 kg
Campy Selective Agar Base (Preston Modified) For use with antimicrobics for the selective isolation of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i>	7443A	500 g
	7443B	2 kg
	7443C	10 kg
Campy Blood Free Selective Medium (CCDA) For use with cefoperazone for the selective isolation of <i>Campylobacter</i> spp.	7527A	500 g
	7527B	2 kg
	7527C	10 kg
Campylobacter Enrichment Broth For use with antimicrobics for the selective enrichment of <i>Campylobacter</i> spp.	7526A	500 g
	7526B	2 kg
	7526C	10 kg
Cary and Blair Transport Medium, Modified with Phenol Red For the collection, transport and preservation of microorganisms	7308A	500 g
	7308B	2 kg
	7308C	10 kg
Casein, Acid Hydrolysate Hydrochloric acid hydrolysate of casein for use in preparing microbiological culture media (see page 20)	7229A	500 g
	7229B	2 kg
	7229C	10 kg
Casman Medium Base For use with blood for the isolation of <i>Haemophilus influenzae</i> , <i>Neisseria gonorrhoeae</i> and other fastidious microorganisms	7123A	500 g
	7123B	2 kg
	7123C	10 kg
Cetrimide Agar For use in the isolation and identification of <i>Pseudomonas aeruginosa</i>	7222A	500 g
	7222B	2 kg
	7222C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Charcoal Agar For the cultivation of fastidious microorganisms particularly <i>Bordetella pertussis</i>	7586A 7586B 7586C	500 g 2 kg 10 kg
CHO Medium Base For use with carbohydrates for the differentiation of anaerobic bacteria on the basis of carbohydrate fermentation reactions	7563A 7563B 7563C	500 g 2 kg 10 kg
CLED Agar For the differentiation and enumeration of microorganisms in urine	7122A 7122B 7122C	500 g 2 kg 10 kg
Clostridium Difficile Agar For use with cycloserine and cefoxitin for the isolation of <i>Clostridium difficile</i>	7385A 7385B 7385C	500 g 2 kg 10 kg
Columbia Blood Agar Base For use with blood for the isolation and cultivation of a wide variety of fastidious microorganisms	7125A 7125B 7125C	500 g 2 kg 10 kg
Columbia Broth For the cultivation of a wide variety of fastidious microorganisms	7127A 7127B 7127C	500 g 2 kg 10 kg
Columbia CNA Agar For use with blood for the selective isolation of Gram-positive cocci	7126A 7126B 7126C	500 g 2 kg 10 kg
Cooked Meat Medium For the cultivation of anaerobic microorganisms	7110A 7110B 7110C	500 g 2 kg 10 kg
Cornmeal Agar For the cultivation of fungi and the demonstration of chlamydospore production	7350A 7350B 7350C	500 g 2 kg 10 kg
D/E Neutralizing Agar For the isolation of microorganisms from sanitized environmental surfaces	7375A 7375B 7375C	500 g 2 kg 10 kg
D/E Neutralizing Broth Broth medium used for testing and neutralizing of antiseptics and disinfectants	7562A 7562B 7562C	500 g 2 kg 10 kg
Demi-Fraser Broth Base Used with ferric ammonium citrate for the selective enrichment of <i>Listeria</i> spp.	7656A 7656B 7656C	500 g 2 kg 10 kg
Deoxycholate Citrate Agar For the isolation and differentiation of Gram-negative enteric bacilli	7186A 7186B 7186C	500 g 2 kg 10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Dermatophyte Test Medium For the selective isolation of dermatophytic fungi	7265A 7265B 7265C	500 g 2 kg 10 kg
Dextrose Used in preparing microbiological culture media (see page 20)	7203A 7203B 7203C	500 g 2 kg 10 kg
Dextrose Tryptone Agar For isolation of mesophilic or thermophilic spoilage microorganisms in food	7340A 7340B 7340C	500 g 2 kg 10 kg
Dextrose Tryptone Broth For cultivation of mesophilic or thermophilic spoilage microorganisms in food	7338A 7338B 7338C	500 g 2 kg 10 kg
Dichloran Glycerol (DG-18) Agar Base For the selective isolation and enumeration of yeasts and molds from foods	7592A 7592B 7592C	500 g 2 kg 10 kg
Dipeptone Blend of an enzymatic digest of animal tissue and an enzymatic digest of casein for use in preparing microbiological culture media (see page 20)	7183A 7183B 7183C	500 g 2 kg 10 kg
DNase Test Agar For the differentiation of microorganisms on the basis of deoxyribonuclease activity	7129A 7129B 7129C	500 g 2 kg 10 kg
DRBC Agar For the selective isolation and enumeration of yeasts and molds from foods	7591A 7591B 7591C	500 g 2 kg 10 kg
EC Medium For the detection of coliform bacteria at 37°C and <i>Escherichia coli</i> at 44.5°C	7206A 7206B 7206C	500 g 2 kg 10 kg
EC Medium, Modified For use with novobiocin for the selective pre-enrichment of <i>Escherichia coli</i> O157:H7	7506A 7506B 7506C	500 g 2 kg 10 kg
EC Medium with MUG For the fluorogenic detection of <i>Escherichia coli</i>	7361A 7361B 7361C	500 g 2 kg 10 kg
Eosin Methylene Blue Agar (Holt, Harris & Teague) For the isolation and differentiation of Gram-negative enteric bacilli	7134A 7134B 7134C	500 g 2 kg 10 kg
Eosin Methylene Blue Agar, Levine For the isolation and differentiation of Gram-negative enteric bacilli	7103A 7103B 7103C	500 g 2 kg 10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Fastidious Anaerobe Agar For the cultivation of anaerobic microorganisms	7531A	500 g
	7531B	2 kg
	7531C	10 kg
Fluid Thioglycollate Medium For use in sterility testing Conforms to USP	7137A	500 g
	7137B	2 kg
	7137C	10 kg
Fraser Broth For use with acriflavin, nalidixic acid and ferric ammonium citrate for the selective enrichment of <i>Listeria</i> spp.	7626A	500 g
	7626B	2 kg
	7626C	10 kg
Fraser Broth Base For use with ferric ammonium citrate for the selective enrichment of <i>Listeria</i> spp.	7502A	500 g
	7502B	2 kg
	7502C	10 kg
Fungisel Agar For the selective isolation of pathogenic fungi from clinical materials	7205A	500 g
	7205B	2 kg
	7205C	10 kg
GC Agar For use with hemoglobin and enrichment for the isolation and cultivation of <i>Neisseria gonorrhoeae</i> and other fastidious microorganisms	7104A	500 g
	7104B	2 kg
	7104C	10 kg
Gelatin Gelatin protein source and solidifying agent for use in preparing microbiological culture media (see page 20)	7202A	500 g
	7202B	2 kg
	7202C	10 kg
GN Broth (Hajna) For the selective enrichment of Gram-negative microorganisms	7218A	500 g
	7218B	2 kg
	7218C	10 kg
HC Agar Base For use with polysorbate 80 for the enumeration of molds in cosmetics	7520A	500 g
	7520B	2 kg
	7520C	10 kg
Hektoen Enteric Agar For the isolation and differentiation of enteric pathogens	7138A	500 g
	7138B	2 kg
	7138C	10 kg
Hemoglobin Powder Freeze dried hemoglobin for use in preparing microbiological culture media (see page 20)	7195A	500 g
	7195B	2 kg
	7195C	10 kg
KF Streptococcus Agar Used with triphenyltetrazolium chloride for the selective isolation and enumeration of fecal streptococci	7610A	500 g
	7610B	2 kg
	7610C	10 kg
Kligler Iron Agar For the differentiation of microorganisms on the basis of dextrose and lactose fermentation and hydrogen sulfide production	7140A	500 g
	7140B	2 kg
	7140C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Lactobacilli MRS Agar For the cultivation of lactobacilli	7543A	500 g
	7543B	2 kg
	7543C	10 kg
Lactobacilli MRS Broth For the cultivation of lactobacilli	7406A	500 g
	7406B	2 kg
	7406C	10 kg
Lactobacillus Selective Agar Base For the isolation and enumeration of lactobacilli	7234A	500 g
	7234B	2 kg
	7234C	10 kg
Lactose Used in preparing microbiological culture media	7231A	500 g
	7231B	2 kg
	7231C	10 kg
Lactose Broth For the detection of coliform bacteria	7141A	500 g
	7141B	2 kg
	7141C	10 kg
Lauryl Sulfate Broth For the detection of coliform bacteria in water and wastewater	7142A	500 g
	7142B	2 kg
	7142C	10 kg
Lauryl Sulfate Broth with MUG For the detection of coliforms and the fluorogenic detection of <i>Escherichia coli</i>	7300A	500 g
	7300B	2 kg
	7300C	10 kg
Lauryl Tryptose Broth Used for the detection of coliform bacteria in water and wastewater	7324A	500 g
	7324B	2 kg
	7324C	10 kg
LB Agar (Lennox L Agar) For use in molecular genetic studies	7289A	500 g
	7289B	2 kg
	7289C	10 kg
LB Broth (Lennox L Broth) For use in molecular genetic studies	7290A	500 g
	7290B	2 kg
	7290C	10 kg
Letheen Agar Base For use with polysorbate 80 for the testing of quaternary ammonium compounds for antimicrobial activity	7118A	500 g
	7118B	2 kg
	7118C	10 kg
Letheen Agar Base, Modified For use with polysorbate 80 for the isolation of microorganisms from cosmetics	7495A	500 g
	7495B	2 kg
	7495C	10 kg
Letheen Broth Base For use with polysorbate 80 for the testing of quaternary ammonium compounds for antimicrobial activity	7105A	500 g
	7105B	2 kg
	7105C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Lethen Broth Base, Modified For use with polysorbate 80 for the recovery of microorganisms from cosmetics	7496A	500 g
	7496B	2 kg
	7496C	10 kg
Listeria Enrichment Broth For the selective enrichment of <i>Listeria</i> spp.	7398A	500 g
	7398B	2 kg
	7398C	10 kg
Littman Agar For the isolation and cultivation of fungi	7173A	500 g
	7173B	2 kg
	7173C	10 kg
Lowenstein-Jensen Medium For use with fresh egg and glycerol for the isolation and differentiation of <i>Mycobacterium</i> spp.	7245A	500 g
	7245B	2 kg
	7245C	10 kg
Luria Agar (Miller's LB Agar) For use in molecular genetic studies	7213A	500 g
	7213B	2 kg
	7213C	10 kg
Luria Broth Base (Miller's LB Broth) For use in molecular genetic studies	7279A	500 g
	7279B	2 kg
	7279C	10 kg
Lysine Iron Agar For the differentiation of microorganisms on the basis of lysine decarboxylase and hydrogen sulfide production	7211A	500 g
	7211B	2 kg
	7211C	10 kg
M-Broth For the cultivation of <i>Salmonella</i> spp.	7296A	500 g
	7296B	2 kg
	7296C	10 kg
m-Enterococcus Agar For the selective isolation and enumeration of enterococci by membrane filtration	7544A	500 g
	7544B	2 kg
	7544C	10 kg
m-FC Agar For use with rosolic acid for the detection and enumeration of fecal coliforms by membrane filtration	7397A	500 g
	7397B	2 kg
	7397C	10 kg
m-FC Broth For use with rosolic acid for the detection and enumeration of fecal coliforms by membrane filtration	7396A	500 g
	7396B	2 kg
	7396C	10 kg
m-Green Yeast and Fungi Broth For the detection of fungi in beverages	7190A	500 g
	7190B	2 kg
	7190C	10 kg
m-TEC Agar For use with urea for the isolation and enumeration of thermotolerant <i>Escherichia coli</i> from water using membrane filtration	7421A	500 g
	7421B	2 kg
	7421C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
m-TGE Broth	7451A	500 g
For the determination of bacterial counts using membrane filtration	7451B	2 kg
	7451C	10 kg
MacConkey Agar	7102A	500 g
For the isolation and differentiation of Gram-negative enteric bacilli	7102B	2 kg
	7102C	10 kg
MacConkey Agar w/o Crystal Violet	7236A	500 g
For the isolation and differentiation of Gram-negative enteric bacilli	7236B	2 kg
	7236C	10 kg
MacConkey Agar w/o CV & Salt	7378A	500 g
For the isolation and differentiation of Gram-negative enteric bacilli from specimens containing swarming strains of <i>Proteus</i> spp.	7378B	2 kg
	7378C	10 kg
MacConkey Agar with Sorbitol	7320A	500 g
For the isolation of pathogenic <i>Escherichia coli</i>	7320B	2 kg
	7320C	10 kg
MacConkey Agar, CS	7391A	500 g
For the isolation and differentiation of Gram-negative enteric bacilli from specimens containing swarming strains of <i>Proteus</i> spp.	7391B	2 kg
	7391C	10 kg
MacConkey Broth	7185A	500 g
For the detection of coliform bacteria in milk and water	7185B	2 kg
	7185C	10 kg
Malt Agar	7456A	500 g
For the cultivation of fungi	7456B	2 kg
	7456C	10 kg
Malt Extract	7341A	500 g
Dehydrated extract of malt for use in preparing microbiological culture media	7341B	2 kg
	7341C	10 kg
Mannitol Salt Agar	7143A	500 g
For the isolation of staphylococci	7143B	2 kg
	7143C	10 kg
Maximum Recovery Diluent (Peptone Saline Diluent)	7658A	500 g
Used as an isotonic diluent for maximum recovery of microorganisms	7658B	2 kg
	7658C	10 kg
MCP Agar	7477A	500 g
For use with additives for the enumeration of <i>Clostridium perfringens</i> in environmental samples	7477B	2 kg
	7477C	10 kg
Middlebrook 7H11 Agar	7244A	500 g
For use with glycerol and OADC enrichment for the cultivation of <i>Mycobacterium</i> spp.	7244B	2 kg
	7244C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
MIO Medium	7389A	500 g
For the differentiation of microorganisms on the basis of motility, ornithine decarboxylase activity and indole production	7389B	2 kg
	7389C	10 kg
Mitis Salivarius Agar	7277A	500 g
For the isolation of <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and enterococci	7277B	2 kg
	7277C	10 kg
Motility Test Agar	7247A	500 g
For the differentiation of microorganisms on the basis of motility	7247B	2 kg
	7247C	10 kg
MRSA Agar Base	7420A	500 g
For the determination of methicillin-resistant and oxacillin-resistant (heteroresistant) staphylococci	7420B	2 kg
	7420C	10 kg
MR-VP Broth	7237A	500 g
For the differentiation of microorganisms on the basis of acid or acetylmethyl carbinol production (MR VP Reaction)	7237B	2 kg
	7237C	10 kg
Mueller Hinton Agar	7101A	500 g
For use in antimicrobial susceptibility testing by the disk-diffusion method Conforms to NCCLS	7101B	2 kg
	7101C	10 kg
Mycobiotic Agar	7419A	500 g
For the selective isolation of pathogenic fungi from clinical materials	7419B	2 kg
	7419C	10 kg
Mycological Agar	7309A	500 g
For the cultivation of fungi	7309B	2 kg
	7309C	10 kg
Nutrient Agar	7145A	500 g
For the cultivation of a wide variety of microorganisms	7145B	2 kg
	7145C	10 kg
Nutrient Agar 1.5%	7286A	500 g
For the cultivation of a wide variety of microorganisms	7286B	2 kg
	7286C	10 kg
Nutrient Broth	7146A	500 g
For the cultivation of a wide variety of microorganisms	7146B	2 kg
	7146C	10 kg
Nutrient Gelatin	7471A	500 g
For the differentiation of microorganisms on the basis of gelatinase production	7471B	2 kg
	7471C	10 kg
OGYE Agar Base	7655A	500 g
Used with oxytetracycline in the detection and isolation of yeasts and molds from foods	7655B	2 kg
	7655C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Orange Serum Agar	7587A	500 g
For the cultivation of aciduric microorganisms associated with spoilage of products	7587B	2 kg
	7587C	10 kg
Oxbile (Oxgall)	7216A	500 g
Dehydrated bile for use in preparing microbiological culture media	7216B	2 kg
	7216C	10 kg
Oxford Listeria Agar	7428A	500 g
For use with antimicrobics for the selective isolation of <i>Listeria</i> spp.	7428B	2 kg
	7428C	10 kg
PALCAM Agar	7669A	500 g
For use with antimicrobics for the selective isolation of <i>Listeria</i> spp.	7669B	2 kg
	7669C	10 kg
PALCAM Broth	7670A	500 g
For use with antimicrobics for the selective isolation of <i>Listeria</i> spp.	7670B	2 kg
	7670C	10 kg
PPLO Agar	7678A	500 g
For use with antimicrobics for the selective isolation of <i>Mycoplasma</i>	7678B	2 kg
	7678C	10 kg
PPLO Broth without CV	7485A	500 g
For use with antimicrobics for the selective isolation of <i>Mycoplasma</i>	7485B	2 kg
	7485C	10 kg
Pancreatic Digest of Casein (Peptone C)	7179A	500 g
Enzymatic digest of casein for use in preparing microbiological culture media	7179B	2 kg
	7179C	10 kg
Pancreatic Digest of Gelatin (Peptone G)	7182A	500 g
Enzymatic digest of gelatin for use in preparing microbiological culture media	7182B	2 kg
	7182C	10 kg
Papaic Digest of Soybean Meal (Peptone S)	7180A	500 g
Enzymatic digest of soybean meal for use in preparing microbiological culture media (see page 21)	7180B	2 kg
	7180C	10 kg
Peptic Digest of Animal Tissue (Peptone A)	7181A	500 g
Enzymatic digest of animal tissue for use in preparing microbiological culture media (see page 21)	7181B	2 kg
	7181C	10 kg
Peptone S, Ultrafiltered	7680A	500 g
Papaic digest of soybean meal, which has been ultrafiltered for use in microbiological culture media where improved filterability or low endotoxin levels are required	7680B	2 kg
	7680C	10 kg
Peptone Water	7365A	500 g
For the cultivation of non-fastidious microorganisms, indole testing, and as a basal medium for carbohydrate-fermentation studies	7365B	2 kg
	7365C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Phenol Red Broth Base	7148A	500 g
For use with carbohydrates for the differentiation of microorganisms on the basis of carbohydrate-fermentation reactions	7148B	2 kg
	7148C	10 kg
Phenylethanol Agar	7147A	500 g
For use with blood for the selective isolation of Gram-positive cocci	7147B	2 kg
	7147C	10 kg
Phosphate Buffer, pH 7.2	7380A	500 g
For the preparation of microbiological dilution blanks	7380B	2 kg
	7380C	10 kg
Potato Dextrose Agar	7149A	500 g
For the cultivation of fungi	7149B	2 kg
	7149C	10 kg
Potato Dextrose Agar with Lecithin & Tween 80	7575A	500 g
For the isolation of fungi from surfaces sanitized with quaternary ammonium compounds	7575B	2 kg
	7575C	10 kg
Potato Dextrose Broth	7585A	500 g
For the cultivation of fungi	7585B	2 kg
	7585C	10 kg
Potato Infusion Agar	7532A	500 g
For the isolation of <i>Brucella abortus</i>	7532B	2 kg
	7532C	10 kg
Presence-Absence Broth	7500A	500 g
For the detection of coliform bacteria in water treatment plants or distribution systems using the presence-absence coliform test	7500B	2 kg
	7500C	10 kg
Pseudomonas Cepacia Agar	7458A	500 g
For the selective isolation and detection of <i>Pseudomonas cepacia</i> (<i>Burkholderia cepacia</i>) from clinical and non-clinical specimens	7458B	2 kg
	7458C	10 kg
Pseudomonas Isolation Agar	7329A	500 g
For the isolation of <i>Pseudomonas aeruginosa</i> and other <i>Pseudomonas</i> spp.	7329B	2 kg
	7329C	10 kg
R2A Agar	7390A	500 g
For the enumeration and cultivation of bacteria from potable water	7390B	2 kg
	7390C	10 kg
Rappaport-Vassiliadis (MSRV) Medium Semisolid Modified	7511A	500 g
For use with novobiocin for the rapid detection of motile <i>Salmonella</i> spp.	7511B	2 kg
	7511C	10 kg
Rappaport-Vassiliadis R10 Broth	7512A	500 g
For the selective enrichment of <i>Salmonella</i> spp. from foods	7512B	2 kg
	7512C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Sabouraud BHI Agar For the cultivation of fungi	7235A	500 g
	7235B	2 kg
	7235C	10 kg
Sabouraud Dextrose Agar For the cultivation of fungi	7150A	500 g
	7150B	2 kg
	7150C	10 kg
Sabouraud Dextrose Agar w/Chloramphenicol For the selective isolation of fungi	7306A	500 g
	7306B	2 kg
	7306C	10 kg
Sabouraud Dextrose Agar w/Lecithin & Tween 80 For the isolation of fungi from surfaces sanitized with quaternary ammonium compounds	7392A	500 g
	7392B	2 kg
	7392C	10 kg
Sabouraud Dextrose Agar, Emmons For the cultivation of fungi	7204A	500 g
	7204B	2 kg
	7204C	10 kg
Salmonella Shigella Agar For the isolation of <i>Salmonella</i> spp. and some strains of <i>Shigella</i> spp.	7152A	500 g
	7152B	2 kg
	7152C	10 kg
Schaedler Agar For the cultivation of anaerobic microorganisms	7153A	500 g
	7153B	2 kg
	7153C	10 kg
Schaedler Broth For the cultivation of anaerobic microorganisms	7154A	500 g
	7154B	2 kg
	7154C	10 kg
Selective Strep Agar, Modified #2 For use with blood for the selective isolation of group A streptococci	7405A	500 g
	7405B	2 kg
	7405C	10 kg
Selenite Broth For the selective enrichment of <i>Salmonella</i> spp. from clinical materials	7155A	500 g
	7155B	2 kg
	7155C	10 kg
Selenite Cystine Broth For the selective enrichment of <i>Salmonella</i> spp. from clinical materials	7283A	500 g
	7283B	2 kg
	7283C	10 kg
SIM Medium For the differentiation of microorganisms on the basis of hydrogen sulfide and indole production and motility	7221A	500 g
	7221B	2 kg
	7221C	10 kg
Simmons Citrate Agar For the differentiation of microorganisms on the basis of citrate utilization	7156A	500 g
	7156B	2 kg
	7156C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Skim Milk	7352A	500 g
Dehydrated skim milk for use in preparing microbiological culture media	7352B	2 kg
	7352C	10 kg
Standard Methods Agar	7157A	500 g
For the enumeration of bacteria in water, wastewater, food and dairy products	7157B	2 kg
Conforms to APHA and AOAC	7157C	10 kg
TAT Broth	7219A	500 g
For the detection of microorganisms in cosmetics and topical drugs	7219B	2 kg
	7219C	10 kg
TCBS Agar	7210A	500 g
For the selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic vibrios	7210B	2 kg
	7210C	10 kg
Tergitol 7 Agar	7187A	500 g
For the selective isolation of coliform bacteria	7187B	2 kg
	7187C	10 kg
Tetrathionate Broth Base	7241A	500 g
For use with iodine for the recovery of <i>Salmonella</i> spp.	7241B	2 kg
	7241C	10 kg
Thioglycollate Medium without Indicator	7160A	500 g
For the cultivation of anaerobic microorganisms	7160B	2 kg
	7160C	10 kg
Todd Hewitt Broth	7161A	500 g
For the cultivation of streptococci and other fastidious microorganisms	7161B	2 kg
	7161C	10 kg
Tomato Juice Agar	7349A	500 g
For the cultivation of lactobacilli	7349B	2 kg
	7349C	10 kg
Triple Sugar Iron Agar	7162A	500 g
For the differentiation of microorganisms on the basis of dextrose, lactose, and sucrose fermentation and hydrogen sulfide production	7162B	2 kg
	7162C	10 kg
Tryptic Soy Agar	7100A	500 g
For the cultivation of a wide variety of microorganisms	7100B	2 kg
	7100C	10 kg
Tryptic Soy Agar with Lecithin & Tween 80	7163A	500 g
For the isolation of microorganisms from surfaces sanitized with quaternary ammonium compounds	7163B	2 kg
	7163C	10 kg
Tryptic Soy Blood Agar Base No. 2	7654A	500 g
Used with blood for the isolation and cultivation of a wide variety of microorganisms	7654B	2 kg
	7654C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Tryptic Soy Broth	7164A	500 g
For the cultivation of a wide variety of microorganisms	7164B	2 kg
Conforms to USP	7164C	10 kg
Tryptone	7351A	500 g
Enzymatic digest of casein for use in preparing microbiological culture media	7351B	2 kg
	7351C	10 kg
Tryptone Glucose Extract Agar	7242A	500 g
For the cultivation and enumeration of microorganisms in dairy products	7242B	2 kg
	7242C	10 kg
Tryptose Blood Agar Base	7282A	500 g
For the use with blood for the isolation and cultivation of a wide variety of microorganisms	7282B	2 kg
	7282C	10 kg
Tryptose Broth	7367A	500 g
For the cultivation of <i>Brucella</i> spp. and other fastidious microorganisms	7367B	2 kg
	7367C	10 kg
Tryptose Phosphate Broth	7278A	500 g
For the cultivation of a wide variety of fastidious microorganisms	7278B	2 kg
	7278C	10 kg
Universal Beer Agar	7574A	500 g
For the cultivation of bacteria and yeasts encountered in the brewing industry	7574B	2 kg
	7574C	10 kg
Universal Pre-enrichment Broth	7510A	500 g
For the recovery of <i>Salmonella</i> spp. and <i>Listeria</i> spp.	7510B	2 kg
	7510C	10 kg
Urea Agar Base	7226A	500 g
For the differentiation of microorganisms on the basis of urease production	7226B	2 kg
	7226C	10 kg
UVM Modified Listeria Enrichment Broth	7409A	500 g
For the selective isolation of <i>Listeria</i> spp.	7409B	2 kg
	7409C	10 kg
Violet Red Bile Agar	7165A	500 g
For the enumeration of coliforms in food and dairy products	7165B	2 kg
Conforms to APHA	7165C	10 kg
Violet Red Bile Agar w/MUG	7359A	500 g
For the detection of coliforms and the fluorogenic detection of <i>Escherichia coli</i>	7359B	2 kg
	7359C	10 kg
Violet Red Bile Glucose Agar	7425A	500 g
For the enumeration of <i>Enterobacteriaceae</i> in foods	7425B	2 kg
	7425C	10 kg

Dehydrated Culture Media and Other Ingredients

Product: Click on product name for more information	Product #	Unit
Vogel and Johnson Agar For the isolation of staphylococci	7207A	500 g
	7207B	2 kg
	7207C	10 kg
Wilkins-Chalgren Agar For the cultivation of anaerobic microorganisms	7232A	500 g
	7232B	2 kg
	7232C	10 kg
Wilkins-Chalgren Broth For the cultivation of anaerobic microorganisms	7233A	500 g
	7233B	2 kg
	7233C	10 kg
W-L Nutrient Medium For the cultivation of yeasts, molds and bacteria encountered in brewing and industrial fermentations	7488A	500 g
	7488B	2 kg
	7488C	10 kg
XLD Agar For the isolation and differentiation of enteric pathogens	7166A	500 g
	7166B	2 kg
	7166C	10 kg
XLT4 Agar For use with Tergitol 4 for the isolation of non-typhi <i>Salmonella</i> spp.	7517A	500 g
	7517B	2 kg
	7517C	10 kg
Yeast Extract Autolysate of yeast cells for use in preparing microbiological culture media	7184A	500 g
	7184B	2 kg
	7184C	10 kg
Yeast Extract, Ultrafiltered Ultrafiltered autolysate of yeast cells and recommended for use in preparing microbiological culture media where improved filterability and low endotoxin levels are required	7677A	500 g
	7677B	2 kg
	7677C	10 kg
Yeastolate Highly filterable, aqueous extract of Baker's yeast used in the preparation of microbiological culture media (see page 21)	7679A	500 g
	7679B	2 kg
	7679C	10 KG
Yersinia Selective Agar For use with cefsulodin and novobiocin for the isolation of <i>Yersinia enterocolitica</i>	7257A	500 g
	7257B	2 kg
	7257C	10 kg
YM Agar For the cultivation of yeasts, molds and other aciduric microorganisms	7525A	500 g
	7525B	2 kg
	7525C	10 kg
YM Broth For the cultivation of fungi	7363A	500 g
	7363B	2 kg
	7363C	10 kg